



CofC

Docket No: 3356-148

PATENT

CERTIFICATE OF MAILING

I hereby certify that this paper is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Attention: Decision and Certificate of Correction Branch of the Patent Issue Division Commissioner for Patents; Commissioner for Patents; P.O. Box 1450; Alexandria, VA 22313-1450 on December 4, 2006.

Judith Stoker

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Patent No: 7,134,580

Issued: November 14, 2006

Group No.: 3754

Serial No.: 10/684,331

Examiner: Eric S. Keasel

Filed: October 10, 2003

Applicant: Timothy M. Garrison et al.

For: SPOUT ASSEMBLY FOR DISPENSING LIQUID FROM A NOZZLE

**REQUEST FOR CERTIFICATE OF CORRECTION OF
PATENT FOR PATENT OFFICE ERROR (37 C.F.R. 1.322)**

Attention: Decision and Certificate of Correction
Branch of the Patent Issue Division
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Patentee hereby respectfully requests that a Certificate of Correction issue to correct an error occurring in the claims as follows:

Column 28, line 17 - change "First" to --first--

Column 30, line 58 - change "1800" to --180°--

Attached hereto in *duplicate* for printing is PTO-1050.

Please send the Certificate of Correction and any subsequent correspondence in this case to the undersigned.

**Certificate
DEC 12 2006
of Correction**

DEC 13 2006

As this error occurred during printing of the patent, no fee is believed to be necessary. However, the Commissioner is authorized to charge any fees associated with this correspondence, and credit any overpayment, to Deposit Account No. 04-1133.

Respectfully submitted,

By: Clayton L. Kuhnell
Clayton L. Kuhnell
Registration No. 48,691
Attorney for Applicant(s)
DINSMORE & SHOHL LLP
1900 Chemed Center
255 East Fifth Street
Cincinnati, Ohio 45202
(513) 977-8377

1329311v1

SEP 13 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,134,580
APPLICATION NO. : 10/684,331
ISSUE DATE : November 14, 2006
INVENTOR : Timothy M. Garrison et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 1, column 28, line 17 - change "First" to --first--.

Claim 19, column 30, line 58 - change "1800" to --180°--.

Mailing address of Sender:

Patent No. 7,134,508

Clayton L. Kuhnell, Esq.
Dinsmore & Shohl
1900 Chemed Center
255 East Fifth Street
Cincinnati, Ohio 45202

Form PTO 1050

1329312v1

DEC 13 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,134,580
APPLICATION NO. : 10/684,331
ISSUE DATE : November 14, 2006
INVENTOR : Timothy M. Garrison et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 1, column 28, line 17 - change "First" to --first--.

Claim 19, column 30, line 58 - change "1800" to --180°--.

Mailing address of Sender:

Patent No. 7,134,508

Clayton L. Kuhnell, Esq.
Dinsmore & Shohl
1900 Chemed Center
255 East Fifth Street
Cincinnati, Ohio 45202

Form PTO 1050

DEC 13 2006